right solutions.
right partner.

TEST REPORT

TC-8617

Positive Sum Tech Ventures Pvt Ltd
2nd Floor - Workden, 183 Double Road,
10th Main Rd, 2nd Stage,
Indiranagar, Karnataka
560038
India

Certificate Number:	TIND194868-2 Supplementary-1
Received Date:	02/05/2026
Analysis Start Date:	02/05/2026
Analysis End Date:	19/05/2026
Reported Date:	28/05/2026
Lab Ref.	IND195237

ULR: TC861726000020321F

Sample Details

Below Sample Details are Provided By: Customer
Sample Description: Honey
Batch Number/LOT Number: UH-2604-HONE-OIHH
Below Sample Details are Provided By: Laboratory
Sample Received Quantity: Tarson Tube (100ml X 2No's)
Sampling Details: Not Sampled by ALS
Condition on receipt = A - Satisfactory

S.No	Test	Method	Result	Units	LOQ	Specification
PRESERVATIVES						
1	Formic acid	S01-CLC-0077	<0.1	g/100g	0.1	Max 0.2
METALS AND MINERALS						
1	Arsenic (As)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 1.1
2	Cadmium (Cd)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 1.5
3	Lead (Pb)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 2.5
4	Mercury (Hg)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 1.0
MYCOTOXINS						
1	Aflatoxin B1	S01-CLC-0045	<0.5	µg/kg	0.5	-
2	Aflatoxin B2	S01-CLC-0045	<0.5	µg/kg	0.5	-
3	Aflatoxin G1	S01-CLC-0045	<0.5	µg/kg	0.5	-
4	Aflatoxin G2	S01-CLC-0045	<0.5	µg/kg	0.5	-
5	Total Aflatoxins	S01-CLC-0045	<0.5	µg/kg	0.5	-
COPPER COMPOUNDS						
1	Copper Hydroxide (as Cu)	S01-CLC-0034	0.14	mg/kg	0.05	Max 30
2	Copper Oxychloride (as Cu)	S01-CLC-0034	0.14	mg/kg	0.05	Max 30
3	Copper Sulphate (as Cu)	S01-CLC-0034	0.14	mg/kg	0.05	Max 30
4	Cuprous Oxide (as Cu)	S01-CLC-0034	0.14	mg/kg	0.05	Max 30
PESTICIDES						
1	2,4-D Amine Salt	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
2	2,4-Dichlorophenoxy Acetic Acid	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
3	Abamectin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
4	Acephate (expressed as mixture of Methamidophos and acephate)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
5	Acetamiprid	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01

right solutions.
right partner.

TEST REPORT

TC-8617

Certificate Number: TIND194868-2 Supplementary-1

S.No	Test	Method	Result	Units	LOQ	Specification
6	Acifluorfen-sodium	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
7	Alachlor	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
8	Aldicarb	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
9	Aldrin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
10	Alpha Naphthyl Acetic Acid	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
11	Alpha-Cypermethrin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
12	Ametoctradin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
13	Ametryn	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
14	Anilofos	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
15	Atrazine	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
16	Azimsulfuron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
17	Azoxystrobin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
18	Benfuracarb	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
19	Bensulfuron-methyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
20	Bentazone	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
21	Beta-Cyfluthrin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
22	Bifenthrin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
23	Bispyribac Sodium	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
24	Bitertanol	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
25	Boscalid	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
26	Buprofezin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
27	Butachlor	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
28	Captafol	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
29	Captan	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
30	Carbaryl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
31	Carbendazim	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
32	Carbofuran (sum of carbofuran and 3-OH carbofuran)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
33	Carbosulfan	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
34	Carfentrazone-ethyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
35	Carpropamid	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
36	Cartap Hydrochloride	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
37	Chlorantraniliprole	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
38	Chlordane	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
39	Chlorfenapyr	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
40	Chlorfluazuron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
41	Chlorimuron-ethyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
42	Chlormequat-chloride	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
43	Chlorothalonil	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
44	Chlorpropham	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01

right solutions.
right partner.

TEST REPORT

TC-8617

Certificate Number: TIND194868-2 Supplementary-1

S.No	Test	Method	Result	Units	LOQ	Specification
45	Chlorpyriphos	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
46	Chromafenozide	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
47	Cinmethylin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
48	Clodinafop-propargyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
49	Clomazone	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
50	Clothianidin (Sum of Metabolites)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
51	Cyantraniliprole	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
52	Cyazofamid	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
53	Cyflumetofen	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
54	Cyhalofop-butyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
55	Cymoxanil	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
56	Cypermethrin (sum of isomers) (Fat soluble residue)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
57	D.D.T	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.05
58	Deltamethrin (Decamethrin)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
59	Diafenthiuron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
60	Diazinon	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
61	Dichlorvos (DDVP) (content of di-chloroacetaldehyde (D.C.A.) be reported where possible)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
62	Diclofop (Sum of diclofop-methyl & diclofop acid as diclofop-methyl)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
63	Diclosulam	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
64	Dicofol (sum of p, p´ and o,p´ isomers)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
65	Dieldrin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
66	Difenoconazole	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
67	Diflubenzuron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
68	Dimethoate	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
69	Dimethomorph	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
70	Dinocap	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
71	Dinotefuran	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
72	Dithianon	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
73	Dithiocarbamates as CS_2 (maneb, mancozeb, metiram, propineb, thiram and ziram)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
74	Diuron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
75	Dodine	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01

right solutions.
right partner.

TEST REPORT

TC-8617

Certificate Number: TIND194868-2 Supplementary-1

S.No	Test	Method	Result	Units	LOQ	Specification
76	Edifenphos	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
77	Emamectin Benzoate	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
78	Endosulfan	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
79	Epoxiconazole	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
80	Ethephon	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
81	Ethion (Sum of Ethion and its oxygen analogue)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
82	Ethoxysulfuron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
83	Ethyl Parathion	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
84	Ethylenebis (dithiocarbamate) as CS_2	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
85	Etofenprox	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
86	Etoxazole	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
87	Famoxadone	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
88	Fenamidone	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
89	Fenarimol	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
90	Fenazaquin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
91	Fenitrothion	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
92	Fenobucarb	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
93	Fenoxaprop-P-ethyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
94	Fenpropathrin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
95	Fenpyroximate	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
96	Fenthion	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
97	Fenvalerate	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
98	Ferbam as CS_2	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
99	Fipronil	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
100	Flonicamid	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
101	Fluazifop-p-butyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
102	Flubendiamide	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
103	Flucetosulfuron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
104	Fluchloralin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
105	Flufenacet	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
106	Fluopicolide	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
107	Fluopyram (Sum of Fluopyram and its metabolites)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
108	Flupyradifurone (Sum of Flupyradifurone and its metabolites)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
109	Flusilazole	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
110	Fluvalinate	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
111	Fluxapyroxad	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01

TEST REPORT

right solutions.
right partner.

TC-8617

Certificate Number: TIND194868-2 Supplementary-1

S.No	Test	Method	Result	Units	LOQ	Specification
112	Fomesafen	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
113	Forchlorfenuron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
114	Formothion	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
115	Fosetyl-Al	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
116	Glufosinate-ammonium	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
117	Glyphosate	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
118	Halosulfuron methyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
119	Haloxyfop-R-methyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
120	Heptachlor	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
121	Hexaconazole	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
122	Hexazinone	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
123	Hexythiazox	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
124	Hydrogen Cyanamide	S01-CLC-0105	<0.005	mg/kg	0.005	Max 0.01
125	Imazamox	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
126	Imazethapyr	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
127	Imidacloprid	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
128	Indoxacarb	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
129	Iodosulfuron-methyl sodium	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
130	Iprobenfos (Kitazin)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
131	Iprodione	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
132	Isoprothiolane	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
133	Isoproturon	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
134	Kasugamycin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
135	Kresoxim-methyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
136	Lambda-Cyhalothrin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
137	Lindane (Gamma-HCH)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
138	Linuron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
139	Lufenuron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
140	Malathion (Sum of Malathion and Malaoxon)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
141	Mancozeb as CS_2	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
142	Mandipropamid	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
143	Mepiquat Chloride	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
144	Mesosulfuron-methyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
145	Metaflumizone	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
146	Metalaxyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
147	Metalaxyl-M	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
148	Methabenzthiazuron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
149	Methomyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
150	Methyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01

TEST REPORT

right solutions.
right partner.

TC-8617

Certificate Number: TIND194868-2 Supplementary-1

S.No	Test	Method	Result	Units	LOQ	Specification
	Chlorophenoxyacetic acid (MCPA)					
151	Metiram as CS_2	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
152	Metolachlor	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
153	Metrafenone	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
154	Metribuzin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
155	Metsulfuron-methyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
156	Milbemectin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
157	Monocrotophos	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
158	Myclobutanil	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
159	Novaluron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
160	Orthosulfamuron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
161	Oxadiargyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
162	Oxadiazon	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
163	Oxydemeton-Methyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
164	Oxyfluorfen	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
165	Paclobutrazol	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
166	Paraquat dichloride	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
167	Methyl Parathion (combined residues of methyl parathion and its oxygen analogue to be determined and expressed as methyl parathion)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
168	Penconazole	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
169	Pencycuron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
170	Pendimethalin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
171	Penoxsulam	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
172	Permethrin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
173	Phenthoate	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
174	Phorate (sum of Phorate, its oxygen analogue and their sulphoxides and sulphones, expressed as phorate)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
175	Phosalone	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
176	Phosphamidon	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
177	Picoxystrobin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
178	Pinoxaden	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
179	Pirimiphos-methyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
180	Pretilachlor	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
181	Profenofos	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
182	Prohexadione-calcium	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01

right solutions.
right partner.

TEST REPORT

TC-8617

Certificate Number: TIND194868-2 Supplementary-1

S.No	Test	Method	Result	Units	LOQ	Specification
183	Propanil	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
184	Propaquizafop	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
185	Propargite	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
186	Propiconazole	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
187	Propineb as CS_2	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
188	Pymetrozine	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
189	Pyraclostrobin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
190	Pyrazosulfuron-ethyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
191	Pyridalyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
192	Pyriproxyfen	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
193	Pyrithiobac-sodium	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
194	Quinalphos	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
195	Quizalofop-ethyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
196	Quizalofop-P-tefuryl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
197	Simazine	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
198	Sodium p-nitrophenolate	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
199	Spinetoram and its metabolites (Spinosyn-J and Spinosyn-L)	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
200	Spinosad	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
201	Spiromesifen	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
202	Spirotetramat	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
203	Sulfentrazone and its metabolite Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
204	Sulfosulfuron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
205	Sulfoxaflor	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
206	Sum of benomyl and carbendazim expressed as carbendazim	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
207	Tebuconazole	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
208	Tembotrione	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
209	Tetraconazole	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
210	Thiacloprid	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
211	Thiamethoxam	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
212	Thifluzamide	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
213	Thiocyclam hydrogen oxalate	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
214	Thiodicarb	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
215	Thiometon (Sum of Thiometon its sulfoxide and	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01

right solutions.
right partner.

TEST REPORT

TC-8617

Certificate Number: TIND194868-2 Supplementary-1

S.No	Test	Method	Result	Units	LOQ	Specification
	sulphone)					
216	Thiophanate-methyl	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
217	Tolfenpyrad	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
218	Topramezone	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
219	Triacontanol	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
220	Triadimefon	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
221	Tri-allate	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
222	Triasulfuron	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
223	Triazophos	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
224	Trichlorfon	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
225	Tricyclazole	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
226	Tridemorph	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
227	Trifloxystrobin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
228	Trifluralin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
229	Validamycin	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01
230	Zineb as CS_2	S01-CLC-0026	<0.005	mg/kg	0.005	Max 0.01

*****END OF TEST REPORT*****

Sample Conclusion:
The above tested sample complies to FSSR (Food Safety and Standards Regulation), 2011 for the parameters mentioned above.
(-): Not Specified
Max: Maximum
Min: Minimum
Note:
This supplementary certificate replaces the previous certificate TIND194868-1, with respect to correction of a typographical error in test results for Fructose and Glucose.

Authorised by:

ALS Testing Services India Private Limited Bangalore-560 105

Shanmugam GV

Deputy Manager-Chemical

For and on Behalf of ALS Testing Services India Private Ltd

LOQ : Limit of Quantification

Disclaimers:

This supplementary certificate replaces the previous certificate TIND194868-1
Results relate only to the sample analysed. The results may not be reproduces in full, without prior written approval of the laboratory. Unless otherwise stated, all results are expressed on an as received basis.
The test samples will not be retained for perishable products and will be retained for 1 month in case of non-perishable samples unless otherwise agreed with the customer or as required by the applicable regulation.
This is a computer generated document with electronic signature hence does not require manual signature.

right solutions.
right partner.

TEST REPORT

Positive Sum Tech Ventures Pvt Ltd
2nd Floor - Workden, 183 Double Road,
10th Main Rd, 2nd Stage,
Indiranagar, Karnataka
560038
India

Certificate Number:	TIND194868-2 Supplementary-2
Received Date:	02/05/2026
Analysis Start Date:	02/05/2026
Analysis End Date:	19/05/2026
Reported Date:	28/05/2026
Lab Ref.	IND195237

Sample Details

Below Sample Details are Provided By: Customer
Sample Description: Honey
Batch Number/LOT Number: UH-2604-HONE-OIHH
Below Sample Details are Provided By: Laboratory
Sample Received Quantity: Tarson Tube (100ml X 2No's)
Sampling Details: Not Sampled by ALS
Condition on receipt = A - Satisfactory

S.No	Test	Method	Result	Units	LOQ	Specification
CHEMICAL PARAMETERS						
1	Total Carbohydrates	AOAC 986.25	87.89	g/100g	1	-
2	Fructose	S01-CLC-0031	44.76	g/100g	0.5	-
3	Glucose	S01-CLC-0031	30.85	g/100g	0.5	-
4	Maltose	S01-CLC-0031	<0.5	g/100g	0.5	-
5	Sucrose	S01-CLC-0031	<0.5	g/100g	0.5	-
6	Hydroxymethylfurfural (HMF)	S01-CLC-0079	6.25	mg/kg	0.5	Max 80

*****END OF TEST REPORT*****

Sample Conclusion:
The above tested sample complies to FSSR (Food Safety and Standards Regulation), 2011 for the parameters mentioned above.
(-): Not Specified
Max: Maximum
Min: Minimum
Note:
This supplementary certificate replaces the previous certificate TIND194868-1, with respect to correction of a typographical error in test results for Fructose and Glucose.

Authorised by:

ALS Testing Services India Private Limited
Bangalore-560 105

Shanmugam GV

Deputy Manager-Chemical

For and on Behalf of ALS Testing Services India Private Ltd

right solutions.
right partner.

TEST REPORT

Certificate Number: TIND194868-2 Supplementary-2

S.No	Test	Method	Result	Units	LOQ	Specification

LOQ : Limit of Quantification

Disclaimers:

This supplementary certificate replaces the previous certificate TIND194868-1
Results relate only to the sample analysed. The results may not be reproduces in full, without prior written approval of the laboratory. Unless otherwise stated, all results are expressed on an as received basis.
The test samples will not be retained for perishable products and will be retained for 1 month in case of non-perishable samples unless otherwise agreed with the customer or as required by the applicable regulation.
This is a computer generated document with electronic signature hence does not require manual signature.

UNBOX HEALTH-Positive Sum Tech Ventures Pvt Ltd
2nd Floor - Workden, 183 Double Road
10th Main Rd, 2nd Stage, Indiranagar
560038 Bengaluru
India
Sagar R

Scan to view NABL Scope

Scan to authenticate this report

Analytical Report

Account Code : A01744965RRE
Received on : 02/05/2026
Analysis Start Date : 02/05/2026
Analysis End Date : 13/05/2026

Report date : 14/05/2026
Sample Code : 258-2026-00068081
ULR: TC1358026000042290F

Customer Reference : 6- Honey Batch No:UH-2604-HONE-OIHH Purchase Order Date: 30 April 2026 Purchase Order #: UHPO-EUROFINS-20260430

SAMPLE NAME : Honey
SAMPLE QTY : 85g x 2no
SAMPLE PACKING : Sealed Plastic Vile
CONDITION ON RECEIPT : Good

SAMPLING : NOT SAMPLED BY EUROFINS
DISCIPLINE : Chemical
GROUP : FOOD AND AGRICULTURAL PRODUCTS

Others				
Test	**Method Source**	**Results**	**Unit**	**LOQ**
IR187 - Hydroxymethylfurfural (HMF)	IFU Method No.69	5.84	mg/kg	1
SUGAR PROFILE				
Test	**Method Source**	**Results**	**Unit**	**LOQ**
Sugar profiling				
IR135 - Sucrose	AOAC 982.14	< 0.50	g/100 g	0.5
IR135 - Glucose	AOAC 982.14	34.70	g/100 g	0.5
IR135 - Fructose	AOAC 982.14	36.54	g/100 g	0.5
IR135 - Maltose	AOAC 982.14	< 0.50	g/100 g	0.5
IR135 - Lactose	AOAC 982.14	< 0.50	g/100 g	0.5
METAL CONTAMINANTS				
Test	**Method Source**	**Results**	**Unit**	**LOQ**
IR38G - Arsenic (As)	EASI-CHE-SOP-44	< 0.05	mg/kg	0.05
IR38J - Cadmium (Cd)	EASI-CHE-SOP-44	< 0.02	mg/kg	0.02

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.

METAL CONTAMINANTS				
Test	**Method Source**	**Results**	**Unit**	**LOQ**
IR38H - Lead (Pb)	EASI-CHE-SOP-44	< 0.05	mg/kg	0.05
IR38K - Mercury (Hg)	EASI-CHE-SOP-44	< 0.01	mg/kg	0.01

LOQ : Limit of Quantification.

No adulteration with foreign sugars from C4 plant origin could be detected with regard to the performed test.

Remark:
Values in brackets: expanded measurement uncertainty (F = 2.58; 99%)

(1) The determination has been outsourced to Eurofins Group Lab/ approved laboratory.

Kesavakumar N
Asst General Manager

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.

**** END OF REPORT ****

Eurofins Analytical Services India Private Limited.
#540/I, Doddenakundi Industrial Area 2,Bangalore 560048, India
Tel: +91 80 67223200, Fax: +91 80 41680405 Email: foodindia@xoin.eurofinsasia.com, Website:www.eurofins.in,
CIN: U73100KA2009PTC049992

Account Code : A01744965RRE
Received on : 02/05/2026
Analysis Start Date : 02/05/2026
Analysis End Date : 13/05/2026

Report date : 14/05/2026
Sample Code : 258-2026-00068081

Customer Reference : 6- Honey Batch No:UH-2604-HONE-OIHH Purchase Order Date: 30 April 2026 Purchase Order #: UHPO-EUROFINS-20260430

SAMPLE NAME : Honey
SAMPLE QTY : 85g x 2no
SAMPLE PACKING : Sealed Plastic Vile
CONDITION ON RECEIPT : Good

SAMPLING : NOT SAMPLED BY EUROFINS
DISCIPLINE : Chemical
GROUP : FOOD AND AGRICULTURAL PRODUCTS

OTHER CONTAMINANTS				
Test	**Method Source**	**Results**	**Unit**	**LOQ**
IR210 - Melamine	EASI-CHE-SOP-203	< 0.10	mg/kg	0.1
CHEMICAL				
Test	**Method Source**	**Results**	**Unit**	**LOQ**
IR9BA - Carbohydrates	AOAC 986.25	81.37	g/100 g	0.5
IR12W - Hydrocyanic Acid	AOAC 915.03	< 5.00	mg/kg	5
Others				
Test	**Method Source**	**Results**	**Unit**	**LOQ**
IR1U0 - SMR(2-AFGP)2-acetylfuran-3- glucopyranoside	EASI-CHE-SOP-232	0	µg/kg	750
Naturally Occuring Toxic Substances				
Test	**Method Source**	**Results**	**Unit**	**LOQ**
IR134 - Agaric acid	EASI-CHE-SOP-22	< 10.00	mg/kg	10
IR141 - Hypericin	EASI-CHE-SOP-24	< 0.50	mg/kg	0.5
Antibiotics				
Test	**Method Source**	**Results**	**Unit**	**LOQ**
IR3A7 - Ampicillin	EASI-CHE-SOP-159	< 3.0	µg/kg	3
IR379 - Chloramphenicol	EASI-CHE-SOP-81	< 0.05	µg/kg	0.05
IR39V - Erythromycin	EASI-CHE-SOP-86	< 5.00	µg/kg	5
Nitrofuran Metabolites				
IR380 - AMOZ	EASI-CHE-SOP-92	< 0.40	µg/kg	0.4
IR380 - AOZ	EASI-CHE-SOP-92	< 0.40	µg/kg	0.4

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.

Antibiotics				
Test	**Method Source**	**Results**	**Unit**	**LOQ**
Nitrofuran Metabolites				
IR380 - AHD	EASI-CHE-SOP-92	< 0.40	µg/kg	0.4
IR380 - SEM	EASI-CHE-SOP-92	< 0.40	µg/kg	0.4
IR380 - DNSAH	EASI-CHE-SOP-92	< 0.40	µg/kg	0.4
Sulfonamides				
IR381 - Sulfisomidine	EASI-CHE-SOP-130	< 10.000	µg/kg	10
IR381 - Sulfachloropyridazine	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR381 - Sulfamethoxypyridazine	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR381 - Sulfadimethoxine	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR381 - Sulfamethizole	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR381 - Sulfamethoxazole	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR381 - Sulfadiazine	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR381 - Sulfabenzamide	EASI-CHE-SOP-130	< 10.0	µg/kg	10
IR381 - Sulfamethazine (Sulfadimidine)	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR381 - Sulfamerazine	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR381 - Sulfameter	EASI-CHE-SOP-130	< 10.000	µg/kg	10
IR381 - Sulfathiazole	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR381 - Sulfisoxazole	EASI-CHE-SOP-130	< 10.000	µg/kg	10
IR381 - Sulfadoxine	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR381 - Sulfapyridine	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR381 - Sulfaclozine (Sulfachlorpyrazine)	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR381 - Sulfanilamide	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR381 - Sulfaquinoxaline	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR381 - Trimethoprim	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR381 - Sulfacetamide	EASI-CHE-SOP-130	< 10.000	µg/kg	10

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.

Antibiotics				
Test	**Method Source**	**Results**	**Unit**	**LOQ**
Sulfonamides				
IR381 - Ormethoprim	EASI-CHE-SOP-130	< 10.000	µg/kg	10
IR381 - Sulfaphenazole	EASI-CHE-SOP-130	< 10.000	µg/kg	10
IR381 - Sulfamonomethoxine	EASI-CHE-SOP-130	< 10.000	µg/kg	10
IR0JE - Sum of Enrofloxacin & Ciprofloxacin	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR38V - Sum of Streptomycin & Dihydrostreptomycin	EASI-CHE-SOP-164	< 5.00	µg/kg	5
Tetracyclines				
IR382 - Tetracycline (sum of tetracycline and 4-epitetracycline)	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR382 - Oxytetracycline (sum of oxytetracycline and 4-epioxytetraycline)	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR382 - Chlorotetracycline (sum of chlortetracycline and 4-epichlortetracycline)	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR382 - Doxycycline	EASI-CHE-SOP-130	< 5.00	µg/kg	5
IR39Z - Tylosin	EASI-CHE-SOP-86	< 5.00	µg/kg	5

Analysis				
Test	**Method Source**	**Results**	**Unit**	**LOQ**
C4 Sugars in Honey (13C EA-IRMS)				
THH27 - Delta 13C (Protein/VPDB)(1)	AOAC 998.12 (1999-03) mod./[ICS SOP 520-07,2022-09]	-26.1	‰	
THH27 - Delta 13C (Honey/VPDB)(1)	AOAC 998.12 (1999-03) mod./[ICS SOP 520-07,2022-09]	-26.2	‰	
THH27 - Delta 13C Difference Protein-Honey(1)	AOAC 998.12 (1999-03) mod./[ICS SOP 520-07,2022-09]	0.10	‰	
THH27 - C4 sugar content(1)	AOAC 998.12 (1999-03) mod./[ICS SOP 520-07,2022-09]	0.0	%	
THH27 - Adulteration with C4-sugar(1)	AOAC 998.12 (1999-03) mod./[ICS SOP 520-07,2022-09]	no (2)		

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.

VITAMINS				
Test	**Method Source**	**Results**	**Unit**	**LOQ**
IR0KQ - Formic acid	EASI-CHE-SOP-133	< 100.00	mg/kg	100

LOQ : Limit of Quantification.

No adulteration with foreign sugars from C4 plant origin could be detected with regard to the performed test.

Remark:
Values in brackets: expanded measurement uncertainty (F = 2.58; 99%)

(1) The determination has been outsourced to Eurofins Group Lab/ approved laboratory.

Kesavakumar N
Asst General Manager

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.

**** END OF REPORT ****